

1 This listing of claims replaces all prior versions and listings:  
2

3 **Listing of Claims:**  
4

5 1. (Canceled).  
6

7 2. (Previously Presented) The computing system of claim 4,  
8 wherein the navigation model comprises a navigation stack.  
9

10 3. (Original) The computing system of claim 2, wherein the  
11 navigation stack comprises a back-and-truncate stack.  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

1           4.     (Previously Presented) A computing system comprising:  
2           a single application program configured to provide:  
3           a single navigable window;  
4           multiple different functionalities internal to the single application  
5 program to which the single navigable window can be navigated by a user;  
6           a navigation model that is configured to seamlessly manage the  
7 user's navigation activities between the multiple different functionalities  
8 within the single application program; and  
9           navigation instrumentalities comprising browser-like navigation  
10 buttons associated with the single navigable window, the navigation  
11 instrumentalities being configured for use by the user to navigate the  
12 single window inside individual functionalities and to the different  
13 functionalities,  
14           wherein the multiple different functionalities comprise two or more  
15 of the following: a web-browser functionality; a planner functionality; an  
16 email functionality; a contacts functionality; and a word processing  
17 functionality.

18  
19           5.     (Original) The computing system of claim 4, wherein one of  
20 the navigation instrumentalities comprises links associated with each of  
21 the multiple different functionalities to which the single navigable window  
22 can be navigated.  
23  
24  
25

1           6.     (Original) The computing system of claim 4, wherein one of  
2 the navigation instrumentalities comprises browser-like navigation buttons  
3 that can be used, in connection with the navigation model, to navigate the  
4 single navigable window inside individual functionalities and between the  
5 different functionalities.

6  
7           7.     (Original) The computing system of claim 4, wherein the  
8 navigation instrumentalities comprise:

9               links associated with each of the multiple different functionalities to  
10 which the single navigable window can be navigated; and

11              browser-like navigation buttons that can be used, in connection with  
12 the navigation model, to navigate the single navigable window between  
13 the different functionalities.

14  
15           8.     (Previously Presented) The computing system of claim 4,  
16 wherein the single application program is configured to provide at least  
17 one context-sensitive command area that is associated with the single  
18 navigable window, the single application program automatically changing  
19 command sets that are presented to the user within the command area as  
20 the user navigates to different functionalities.

21  
22           9.     (Previously Presented) The computing system of claim 4,  
23 wherein the multiple different functionalities comprise document-centric  
24 functionalities.

1 10-11. (Canceled)

2  
3 12. (Previously Presented) The computing system of claim 4,  
4 wherein each of the multiple different functionalities enables the user to  
5 accomplish a different task.

6  
7 13. (Original) The computing system of claim 12, wherein the  
8 different tasks each relate to a different document type.

9  
10 14. (Previously Presented) A computing system comprising:  
11 a single application program configured to provide:

12 a single navigable window;

13 multiple different document-centric functionalities internal to  
14 the single application program to which the single navigable  
15 window can be navigated by a user; and

16 a navigation stack that is configured to enable the user to  
17 navigate the single navigable window back and forth between  
18 different functionalities,

19 wherein the multiple different document-centric  
20 functionalities comprise two or more of the following: a web-  
21 browser functionality; a planner functionality; an email  
22 functionality; a contacts functionality; and a word processing  
23 functionality.

1           15.   (Original) The computing system of claim 14, wherein the  
2 navigation stack comprises a back-and-truncate navigation stack.  
3

4           16.   (Previously Presented) The computing system of claim 14,  
5 wherein the single application program is configured to provide navigation  
6 instrumentalities associated with the single navigable window, the  
7 navigation instrumentalities being configured for use by the user to  
8 navigate the single window inside individual functionalities and to the  
9 multiple different document-centric functionalities.  
10

11          17.   (Previously Presented) The computing system of claim 16,  
12 wherein one of the navigation instrumentalities comprises links associated  
13 with each of the multiple different document-centric functionalities to  
14 which the single navigable window can be navigated.  
15

16          18.   (Previously Presented) The computing system of claim 16,  
17 wherein one of the navigation instrumentalities comprises browser-like  
18 navigation buttons that can be used, in connection with the navigation  
19 stack, to navigate the single navigable window inside individual  
20 functionalities and between the multiple different document-centric  
21 functionalities.  
22  
23  
24  
25

1           19.   (Previously Presented) The computing system of claim 16,  
2 wherein the navigation instrumentalities comprise:

3           links associated with each of the multiple different document-  
4 centric functionalities to which the single navigable window can be  
5 navigated; and

6           browser-like navigation buttons that can be used, in connection with  
7 the navigation stack, to navigate the single navigable window inside  
8 individual functionalities and between the multiple different document-  
9 centric functionalities.

10  
11           20.   (Original) The computing system of claim 14, wherein the  
12 single application program is configured to incorporate extensible  
13 functionalities.

14  
15           21.   (Original) The computing system of claim 20, wherein the  
16 single application program is configured to receive one or more software  
17 modules embodying individual functionalities via a network.

18  
19           22.   (Original) The computing system of claim 20, wherein the  
20 single application program is configured to receive one or more software  
21 modules embodying individual functionalities via the Internet.

1           23.   (Original) The computing system of claim 20, wherein the  
2 single application program is configured to receive one or more software  
3 modules embodying individual functionalities in connection with a  
4 subscriber model in which various subscribers pay a fee for access to the  
5 various functionalities.

6  
7           24.   (Previously Presented) A computing system comprising:  
8 a single application program configured to:

9                 display a single navigable window for a user to use in  
10 seamlessly navigating between multiple different functionalities  
11 that can be provided by the single application program; and

12                incorporate different functionalities in an extensible manner  
13 so that the user can use the single navigable window to navigate to  
14 the different incorporated functionalities,

15                wherein the different incorporated functionalities comprise  
16 two or more of the following: a web-browser functionality; a  
17 planner functionality; an email functionality; a contacts  
18 functionality; and a word processing functionality.

19  
20           25.   (Previously Presented) The computing system of claim 24,  
21 wherein the different incorporated functionalities can be delivered to the  
22 single application program via a network.  
23  
24  
25

1           26.   (Previously Presented) The computing system of claim 25,  
2 wherein the different incorporated functionalities can be delivered to the  
3 single application program via the Internet.  
4

5           27.   (Original) The computing system of claim 25, wherein the  
6 single application program is configured to provide a navigation model  
7 that is configured to manage the user's navigation activities within the  
8 single application program.  
9

10          28.   (Original) The computing system of claim 27, wherein the  
11 navigation model comprises a navigation stack.  
12

13          29.   (Previously Presented) The computing system of claim 25,  
14 wherein the single application program is configured to provide navigation  
15 instrumentalities associated with the single navigable window, the  
16 navigation instrumentalities being configured for use by the user to  
17 navigate the single window inside individual functionalities and to the  
18 different incorporated functionalities.  
19

20          30.   (Previously Presented) The computing system of claim 29,  
21 wherein one of the navigation instrumentalities comprises links associated  
22 with each of the different incorporated functionalities to which the single  
23 navigable window can be navigated.  
24  
25



1           31. (Previously Presented) The computing system of claim 29,  
2 wherein one of the navigation instrumentalities comprises browser-like  
3 navigation buttons that can be used to navigate the single navigable  
4 window inside individual functionalities and between different  
5 incorporated functionalities.

6  
7           32. (Previously Presented) The computing system of claim 24,  
8 wherein the different incorporated functionalities comprise document-  
9 centric functionalities.

10  
11           33. (Original) The computing system of claim 32, wherein  
12 individual different functionalities that can be incorporated into the single  
13 application program can be delivered to the application program in  
14 connection with a fee-based subscription model.

1           34.   (Previously Presented) A computing system comprising:  
2           a network-accessible single application program;  
3           a single navigable window provided by the application program;  
4           multiple different functionalities provided by and internal to the  
5 application program, the program being configured so that a user can  
6 navigate the single navigable window and seamlessly interact with the  
7 different functionalities to accomplish different tasks; and  
8           a navigation stack that is configured to enable the user to navigate  
9 the single navigable window back and forth between different  
10 functionalities,  
11           wherein the multiple different functionalities comprise two or more  
12 of the following: a web-browser functionality; a planner functionality; an  
13 email functionality; a contacts functionality; and a word processing  
14 functionality.

15  
16           35.   (Original) The computing system of claim 34, wherein the  
17 single application program is configured so that the functionalities are  
18 extensible.

19  
20           36.   (Original) The computing system of claim 34, wherein the  
21 single application program is configured to provide a navigation model  
22 that is configured to manage the user's navigation activities within the  
23 single application program.  
24  
25

1           37. (Original) The computing system of claim 34, wherein at  
2 least some of the different functionalities comprise software modules that  
3 are deliverable via a network.  
4

5           38. (Original) The computing system of claim 37, wherein the  
6 network comprises the Internet.  
7

8           39. (Original) The computing system of claim 37, wherein the  
9 software modules are deliverable in the context of a fee-based subscription  
10 model.  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

1           40.   (Previously Presented) A computing system comprising:  
2           a software platform comprising software that is configured to  
3 provide a single application program that provides:  
4           a single navigable window;  
5           capabilities to navigate the single navigable window to  
6 different functionalities that can enable a user to accomplish  
7 different tasks;  
8           capabilities to seamlessly manage navigation activities of the  
9 user;  
10          capabilities to provide context-sensitive command sets and  
11 change the command sets as a user's context changes in accordance  
12 with the user's navigation activities; and  
13          capabilities to receive and incorporate into the single  
14 application program individual software components that comprise  
15 individual different functionalities,  
16          wherein the individual different functionalities comprise two  
17 or more of the following: a web-browser functionality; a planner  
18 functionality; an email functionality; a contacts functionality; and a  
19 word processing functionality.  
20  
21  
22  
23  
24  
25

1        41. (Previously Presented) Software code embodied on a  
2 computer-readable medium which, when executed by a computer, provides  
3 a user interface (UI) comprising:

4        a single window that is capable of being seamlessly navigated to  
5 and between multiple different functionalities that enable a user to  
6 accomplish multiple tasks in connection with a single application that  
7 provides and comprises the multiple different functionalities; and

8        navigation instrumentalities comprising browser-like navigation  
9 buttons that are configured to enable the user to navigate the single  
10 window to and between the multiple different functionalities,

11        wherein the multiple different functionalities comprise two or more  
12 of the following: a web-browser functionality; a planner functionality; an  
13 email functionality; a contacts functionality; and a word processing  
14 functionality.

15  
16        42. (Original) The software code of claim 41, wherein the UI  
17 further comprises at least one command area that is configured to present  
18 context-sensitive commands that automatically change as the user's  
19 context changes when they navigate to and between the multiple different  
20 functionalities.

1        43. (Original) The software code of claim 41, wherein the  
2 navigation instrumentalities comprise multiple links each of which being  
3 associated with a different functionality, the links being selectable by the  
4 user for navigating the single window to a functionality that is associated  
5 with the selected link.

6  
7        44. (Original) The software code of claim 41, wherein the  
8 navigation instrumentalities comprise browser-like navigation buttons.

9  
10       45. (Original) The software code of claim 41, wherein the  
11 navigation instrumentalities comprise:

12       multiple links each of which being associated with a different  
13 functionality, the links being selectable by the user for navigating the  
14 single window to a functionality that is associated with the selected link;  
15 and

16       browser-like navigation buttons.

17  
18  
19  
20  
21  
22  
23  
24  
25

1           46.   (Previously Presented) A computing method comprising:  
2           displaying a user interface that comprises a single navigable  
3 window that can be seamlessly navigated between multiple different  
4 functionalities that are provided by and are internal to a single application  
5 program;  
6           receiving user input that indicates selection of a particular  
7 functionality;  
8           responsive to receiving said user input, navigating the single  
9 navigable window to the particular selected functionality and displaying in  
10 said window indicia of said functionality that can enable a user to  
11 accomplish a task associated with the particular selected functionality; and  
12           managing a user's navigation activities using a navigation model  
13 that maintains entries that correspond to the user's navigation activities,  
14           wherein the multiple different functionalities comprise two or more  
15 of the following: a web-browser functionality; a planner functionality; an  
16 email functionality; a contacts functionality; and a word processing  
17 functionality.

18  
19           47.   (Canceled).  
20  
21  
22  
23  
24  
25

1           48. (Previously Presented) The method of claim 46, wherein said  
2 managing comprises:

3           ascertaining whether a user's activities impacts a navigation model  
4 entry; and

5           responsive to ascertaining that a user's activities impacts one or  
6 more navigation model entries, manipulating said one or more entries.

7  
8           49. (Original) The method of claim 48, wherein said  
9 manipulating comprises removing an entry.

10  
11          50. (Original) The method of claim 48, wherein said  
12 manipulating comprises removing an entry that is at least one entry away  
13 from an entry corresponding to the user's present navigation activity.

14  
15          51. (Original) The method of claim 48, wherein said  
16 manipulating comprises adding an entry.

17  
18          52. (Original) The method of claim 48, wherein said  
19 manipulating comprises reorganizing the navigation model entries  
20 responsive to a user action that is not a navigation action.



1           53. (Original) The method of claim 48, wherein said  
2 manipulating comprises maintaining the state of a document in response to  
3 user navigation activities that take the user on a navigation path that is  
4 outside of a direct path to the document.

5  
6           54. (Original) The method of claim 48, wherein said  
7 manipulating comprises modifying at least one URL that is associated with  
8 at least one navigation model entry.

9  
10          55. (Original) The method of claim 48, wherein said  
11 manipulating comprises modifying at least one title that is associated with  
12 at least one navigation model entry.

13  
14          56. (Original) The method of claim 48, wherein said  
15 manipulating comprises modifying an entry so that it points to a location  
16 that is different from a location to which it previously pointed.

17  
18          57. (Previously Presented) The method of claim 46, wherein the  
19 navigation model comprises a back-and-truncate navigation stack.

20  
21          58. (Original) The method of claim 46, wherein said displaying  
22 of the user interface comprises displaying proximate the single navigable  
23 window, navigation instrumentalities that are configured to enable to user  
24 to input selection of a particular functionality.

1           59. (Original) The method of claim 58, wherein one of the  
2 navigation instrumentalities comprises links associated with each of the  
3 multiple different functionalities.

4  
5           60. (Previously Presented) The method of claim 58, wherein one  
6 of the navigation instrumentalities comprises browser-like navigation  
7 buttons that can be used by a user to navigate the single navigable window  
8 between the multiple different functionalities.

9  
10          61. (Original) The method of claim 46 further comprising,  
11 responsive to navigating the single navigable window to said particular  
12 selected functionality, automatically presenting a functionality-specific  
13 command set within the user interface, said command set containing  
14 commands that are associated with the particular selected functionality.

15  
16          62. (Previously Presented) The method claim 61 further  
17 comprising automatically presenting different functionality-specific  
18 command sets in response to navigating the single navigable window to  
19 respective multiple different functionalities.

20  
21          63. (Original) One or more computer-readable media having  
22 computer-readable instructions thereon which, when executed by a  
23 computer, implement the method of claim 46.

1           64. (Previously Presented) One or more computer-readable  
2 media having computer-readable instructions thereon which, when  
3 executed by a computer, cause the computer to:

4           display a user interface that comprises:

5                 a single navigable window that can be seamlessly navigated  
6 between multiple different functionalities that are provided by and  
7 are internal to a single application program, the multiple different  
8 functionalities comprising two or more of the following: a web-  
9 browser functionality; a planner functionality; an email  
10 functionality; a contacts functionality; and a word processing  
11 functionality; and

12                 navigation instrumentalities that are configured to enable  
13 selection of a particular functionality, the navigation  
14 instrumentalities comprising links associated with each of the  
15 multiple different functionalities and browser-like navigation  
16 buttons that can be used by the user to navigate the single navigable  
17 window between the different functionalities;

18           receive user input via said navigation instrumentalities that  
19 indicates selection of a particular functionality; and

20           responsive to receiving said user input, navigate the single  
21 navigable window to the particular selected functionality and display in  
22 said window indicia of said functionality that can enable a user to  
23 accomplish a task associated with the particular selected functionality.

1           65. (Original) The computer-readable media of claim 64,  
2 wherein the multiple different functionalities comprise document-centric  
3 functionalities.

4  
5           66. (Previously Presented) The computer-readable media of  
6 claim 64, wherein the instructions cause the computer to automatically  
7 present different functionality-specific command sets in response to the  
8 single navigable window being navigated to the multiple different  
9 functionalities.

10  
11           67. (Previously Presented) A computing method comprising:  
12 providing a single application program that is configured to display  
13 a single navigable window for a user to use in seamlessly navigating  
14 between multiple different functionalities that can be provided by the  
15 single application program; and

16 incorporating different functionalities in an extensible manner  
17 internally into the single application program so that the user can use the  
18 single navigable window to navigate to the different incorporated  
19 functionalities,

20 wherein the different incorporated functionalities comprise two or  
21 more of the following: a web-browser functionality; a planner  
22 functionality; an email functionality; a contacts functionality; and a word  
23 processing functionality.

1           68. (Original) The method of claim 67, wherein said  
2 incorporating comprises delivering software modules embodying one or  
3 more functionalities via a network.

4  
5           69. (Original) The method of claim 67, wherein said  
6 incorporating comprises delivering software modules embodying one or  
7 more functionalities via the Internet.

8  
9           70. (Original) The method of claim 67, wherein the single  
10 application program is configured to provide a navigation model that is  
11 configured to manage the user's navigation activities within the single  
12 application program.

13  
14           71. (Previously Presented) The method of claim 67, wherein the  
15 single application program is configured to display navigation  
16 instrumentalities associated with the single navigable window and  
17 configured to enable the user to navigate the single window to the different  
18 incorporated functionalities.

1           72.   (Previously Presented) The method of claim 71, wherein the  
2 navigation instrumentalities include one or more of the following:

3           links associated with each of the different incorporated  
4 functionalities to which the single navigable window can be navigated; and

5           browser-like navigation buttons that can be used to navigate the  
6 single navigable window between the different incorporated  
7 functionalities.

1           73.   (Previously Presented) A computing method comprising:  
2           displaying a user interface that comprises a single navigable  
3 window that can be navigated between multiple different document-centric  
4 functionalities that are provided by and are internal to a single application  
5 program;  
6           receiving user input that indicates selection of a particular  
7 document-centric functionality;  
8           responsive to receiving said user input, navigating the single  
9 navigable window to the particular selected document-centric functionality  
10 and displaying in said window indicia of said functionality that can enable  
11 a user to accomplish a task associated with the particular selected  
12 functionality; and  
13           managing a user's navigation activities using a navigation model  
14 that maintains entries that correspond to the user's navigation activities,  
15           wherein the multiple different document-centric functionalities  
16 comprise two or more of the following: a web-browser functionality; a  
17 planner functionality; an email functionality; a contacts functionality; and  
18 a word processing functionality.

19  
20           74.   (Canceled)

21  
22           75.   (Original) The method of claim 73, wherein the document-  
23 centric functionalities comprise each of the following: a web-browser  
24 functionality, an email functionality, and a word processing functionality.  
25

1        76. (Original) The method of claim 73 further comprising  
2 receiving user input to create a new document from a plurality of available  
3 document types, and said navigating comprises navigating said single  
4 window to an empty document of a corresponding type.

5  
6        77. (Original) The method of claim 76 further comprising  
7 making an entry in a navigation model corresponding to the new  
8 document, the navigation model being used to manage user navigation  
9 activities.

10  
11        78. (Previously Presented) The method of claim 73, wherein the  
12 multiple different document-centric functionalities are associated with  
13 different document types that can be authored by a user, and further  
14 comprising receiving user input indicating that the user has completed  
15 work on a document of a particular document type, and responsive thereto,  
16 automatically publishing the document based upon the document type.

17  
18        79. (Canceled).



1           80.   (Previously Presented) The method of claim 73, wherein said  
2 managing comprises:

3           ascertaining whether a user's activities impacts a navigation model  
4 entry; and

5           responsive to ascertaining that a user's activities impacts one or  
6 more navigation model entries, manipulating said one or more entries.

7  
8           81.   (Original) The method of claim 80, wherein said  
9 manipulating comprises removing an entry.

10  
11           82.   (Original) The method of claim 80, wherein said  
12 manipulating comprises removing an entry that is at least one entry away  
13 from an entry corresponding to the user's present navigation activity.

14  
15           83.   (Original) The method of claim 80, wherein said  
16 manipulating comprises adding an entry.

17  
18           84.   (Original) The method of claim 80, wherein said  
19 manipulating comprises reorganizing the navigation model entries  
20 responsive to a user action that is not a navigation action.

21  
22           85.   (Original) The method of claim 80, wherein said  
23 manipulating comprises maintaining the state of a document in response to  
24 user navigation activities that take a user on a navigation path that is  
25 outside of a direct path to the document.

1           86. (Original) The method of claim 80, wherein said  
2 manipulating comprises modifying at least one URL that is associated with  
3 at least one navigation model entry.

4  
5           87. (Original) The method of claim 80, wherein said  
6 manipulating comprises modifying an entry so that it points to a location  
7 that is different from a location to which it previously pointed.